

Serial No. 10/015,492

Viktors Berstis

Page 8 of 14

Claims Appendix*per 37 CFR §41.37(c)(1)(viii)***Clean Form of Amended Claims****Claim 1 (previously amended):**

A method of producing a two-dimensional sensor array for imaging, comprising the steps of:

determining a plurality of sensor positions, each position having a spacing in a first axis from a datum point according to a first non-uniform predictable deterministic distribution schema, and each position having a spacing in a second axis from said datum point according to a second predictable deterministic non-uniform distribution schema;

providing a two-dimensional array of sensors, each sensor being positioned on said array according to the determined positions in said first and second axes; and

providing a means for sampling said sensors such that a two-dimensional imaging sensor array having non-uniform sensor distribution is realized.

Claim 2 (original):

The method as set forth in Claim 1 wherein said first schema comprises a pseudo-random schema.

Claim 3 (original):

The method as set forth in Claim 1 wherein said first schema comprises a nonlinear polynomial schema.

Claim 4 (original):

The method as set forth in Claim 1 further comprising the step of assigning one or more reference identifiers to said first and second non-uniform distribution schema.

Serial No. 10/015,492

Viktors Berstis

Page 9 of 14

Claim 5 (original):

The method as set forth in Claim 1 wherein said second schema comprises a pseudo-random schema.

Claim 6 (original):

The method as set forth in Claim 1 wherein said second schema comprises a nonlinear polynomial schema.

Claim 7 (previously amended):

The method as set forth in Claim 1 further comprising the steps of:

creating a dithered set of data samples by sampling said non-uniformly spaced sensors, said dithered set of data samples representing an image; and
performing interpolation to synthesize a set of data samples representing uniformly spaced data samples from said dithered set of data samples, said uniformly spaced data samples representing said image according to uniformly distributed sensors.

Claim 8 (original):

The method as set forth in Claim 7 wherein said step of performing interpolation to synthesize a set of data samples representing uniformly spaced data samples comprises performing linear interpolation.

Serial No. 10/015,492

Viktors Berstis

Page 10 of 14

Claim 9 (previously amended):

A computer readable medium encoded with software for creating a synthesized uniformly-spaced data set from a dithered data set in an imaging system, said software performing the steps of:

receiving a dithered set of data samples, said dithered set of data samples representing an image sampled by a plurality of sensors, wherein said sensors are positioned positions with a spacing in a first axis from a datum point according to a first non-uniform predictable deterministic distribution schema, and each sensor having a position spacing in a second axis from said datum point according to a second predictable deterministic non-uniform distribution schema; and

performing interpolation to synthesize a set of data samples representing uniformly spaced data samples from said dithered set of data samples, said uniformly spaced data samples representing said image according to uniformly distributed sensors.

Claim 10 (original):

The computer readable medium as set forth in Claim 9 wherein said software for performing interpolation comprises software for performing linear interpolation.

Claim 11 (original):

The computer readable medium as set forth in Claim 9 further comprising software for performing the step of receiving a reference identifier associated with distribution schema

of said dithered data set, and wherein said software for performing interpolation comprises software for performing interpolation based upon said distribution schema.

Serial No. 10/015,492Viktors BerstisPage 11 of 14

Claim 12 (previously amended):

A digital imaging system comprising:

a sensor array means, said sensor array having a set of sensors arranged in first axis in a non-uniform predictable deterministic manner according to a first schema and in a second axis in a non-uniform predictable deterministic manner according to a second schema;

a sampling means for sampling said sensors; and

a dithered data set creation means for storing data samples from said sampling means.

Claim 13 (original):

The digital imaging system as set forth in Claim 12 wherein said sensors of said sensor array means are arranged in said first axis according to a pseudo-random schema.

Claim 14 (original):

The digital imaging system as set forth in Claim 12 wherein said sensors of said sensor array means are arranged in said first axis according to a nonlinear polynomial schema.

Claim 15 (original):

The digital imaging system as set forth in Claim 12 wherein said sensors of said sensor array means are arranged in said second axis according to a pseudo-random schema.

Claim 16 (original):

The digital imaging system as set forth in Claim 12 wherein said sensors of said sensor array means are arranged in said second axis according to a polynomial schema.

Serial No. 10/015,492Viktors BerstisPage 12 of 14

Claim 17 (original):

The digital imaging system as set forth in Claim 12 further comprising an interpolation means for synthesizing a uniformly-spaced data sample set from said dithered data sample set.

Claim 18 (original):

The digital imaging system as set forth in Claim ~~18~~¹⁷ wherein said interpolation means comprises a linear interpolation means.

Claim 19 (original):

The digital imaging system as set forth in Claim ~~18~~¹⁷ further comprising a means for receiving an reference identifier associated with said first and second distribution schema and selecting an interpolation means according to said first and second distribution schema.